COSHH RISK ASSESSMENT BY PRODUCTA									
STORE ALL PRODUCTS SAFELY NEVER LEAVE PRODUCTS UNATTENDED KEEP OUT OF REACH FROM CHILDREN & VULNERABLE ADULTS									
At Risk	✓ Employees ✓ Contractors &	other visi	tors	✓ Tenants✓ Neighbours	✓ Children 8✓ Pets	& vulnerable adults	~ ~	Property Environment	
Hazards	Who might be harmed and how	RISK without controls	General co altogether	roduct RIS with cont	th ensure safe use, storage,				
Armstead Contract Matt Paint	Any person or animal encountering paint while it is being used, spills in transport, or leakages during storage. Paints contain solvents and Volatile Organic Compounds (VOCs) that are toxic. Inhaling paint fumes can exacerbate		Safe with normal use. Cover cuts and broken skin before use. Wear gloves and safety glasses. Avoid using or storing in drink or food preparation areas. Avoid wiping eyes or mouth with contaminated hands. Change contaminated clothing. Dispose of container and waste fluids responsibly. Do not leave fluid unattended. Keep out of reach of children or vulnerable adults.					Immediately clean-up	
No known signiifcant effects or critical hazards	Tolmes can exact back asthma and sinusitis. Breathing in solvents and VOcs during application or when the paint is drying will be absorbed into the blood stream and give rise to acute headaches and nausea on short exposure. Constant, long term exposure is associated with birth defects, cancers and damage to central nervous system (painter's dementia).		lf Skin Contact	Wash affected area thoroughly with soa	be taken if operative comes into contact with substance: Seek Medical Advice Acute Health Ris cted area thoroughly with soap and water. Do not continue to wear contaminated ind shoes. Seek medical attention if irritation arises and persists. Image: Content of the sector of the sect				
			Eye Contact Inhaled	Remove contact lenses. Irrigate copiously with clean, fresh water holding the eyelids apart for at least 10-15 minutes. Seek medical advice if discomfort continues. Move the exposed person sufering from the effects of breathing in paint fumes to fresh air. Seek medical attention if any discomfort continues.				term Only use in well- ventilated room. Wear suitable face mask.	
			Swallowed Exposure	Do not induce vomiting. Rinse mouth with water without swallowing. Seek medical attention IMMEDIATELY. Retain label or container to aid identification. Painters: 4-5 hrs/days. Others: Exposure to toxic fumes while paint is drying				Risk Non-flammable.	
Arditex CL Latex Levelling and Smoothing Compound	Any person or animal coming into contact with the product while it is being used, spills while it is being	15	Safe with normal use provided a mask is worn during mixing and PPE is worn to prevent direct contact with alkaline mixture. Wear mask, gloves and safety glasses. Avoid using or storing in drink or food preparation areas. Avoid using or storing in drink or food preparation areas. Avoid not leave mix unattended. Keep out of reach of children or vulnerable adults.						
When mixed with	transported or leakages during storage.		lf	Do not use solvents and thinners. Seek medical attention it irritation persists. Remove contact lenses. Irrigate conjously with clean, fresh water holding the evelids apart for at				Acute Health Risk Wear mask and PPE to	
water or admixture, a strongly alkaline paste is produced. Cement			Skin Contact				1	avoid breathing-in dust	
products may cause both irritant and			Eye Contact				✓ Long- health		
allergic contact dermatitis. Corrosive.			Inhaled				✓		
Prolonged contact causes serious eye and tissue damage.			Swallowed	Do not induce vomiting. Rinse mouth wi IMMEDIATELY.	th water without swallowing.	Seek medical attention	√ Fire		
tissue damage.			Exposure	Floor layers: Exposed for up to 2 hours	a day.		1	Non-flammable.	
Likelihood			Severity of Risk			Calculated Risk	Action Plan		
Improbable: 0%-5% Unlikely to happen		1	No risk to short-term or long-term health or sustaining personal injury		0 - 5	Low Risk. Safe to use under normal conditions			
Remote: 5%-35% May occur at sometime		2	Remote risk to health or sustaining minor injuries treatable by site first aid		6 - 15	Safe to use with care, observing extra controls			
Possible: 35%-65% Could occur at sometime		3	Low risk of personal injury requiring medical attention at A&E Department			16 - 20			
Probable: 65%-95% Very likely to occur		4	Moderate risk of personal injury resulting in more than 7 days off work		21 - 25	Do not use as th	e risk of injury is too high		
Very probable: 95%-100% Almost certain		5	High risk of life-changing injury, long-term chronic illness, cancer & death						

Date of Review

31-Oct-18

Reviewer

Ralph Elliott-King

MARISCO TEL No: 01202 474001

Copyright 2015-18 Xaccounts Ltd. All rights reserved