| COSHH RISK ASSESSMENT BY PRODUCT B | | | | | | | | | |
|---|--|--|--|---|--------------------------|--|---|--|---|
| STORE ALL PRODUCTS SAFELY NEVER LEAVE PRODUCTS UNATTENDED KEEP OUT OF REACH FROM CHILDREN & VULNERABLE ADULTS | | | | | | | | | |
| At Risk | Employees Contractors & | other vis | sitors | ✓ Tenants ✓ Neighbours | ✓ Children ✓ Pets | & vulnerable adults | | ✓ ✓ | Property Environment |
| Hazards | Who might be harmed and how | RISK without controls | | ontrols after first considering if it is r, or if a safer alternative product o | RISK with controls | Key controls required to ensure safe use, storage, transport and disposal. | | | |
| Bostick Cementone Concentrated Morter Plasticiser Contains Rosin. | Any person or animal coming into contact with the product while it is being used, spills while it is being transported or | 6 | food prepara Dispose of co | Safe with normal use. Cover cuts and broken skin before use. Wear gloves if atopic. Avoid using or storing in drink or food preparation areas. Avoid wiping eyes or mouth with contaminated hands. Change contaminated clothing. Dispose of container and waste fluids responsibly. Do not leave fluid unattended. Keep out of reach of childen or vulnerable adults. If Action to be taken if operative comes into contact with substance: Seek Medical Advice Health Risk | | | | | |
| Causes skin irritation. May cause allergic reaction. | leakages during storage. | | Skin Contact Eye Contact Inhaled | Wash affected area thoroughly with soap and water. Take off contaminated clothing and shoes. Do not use solvents and thinners. Seek medical attention if irritation persists. Remove contact lenses. Irrigate copiously with clean, fresh water holding the eyelids apart for at least 10-15 minutes. Seek immediate medical advice Move the exposed person to fresh air. Seek medical attention if any discomfort continues. | | | ✓ · | Long-term health risk | Use barrier creams and protective clothing if atopic. |
| | | | Swallowed Exposure | IMMEDIATELY. Retain label or container to aid identification. | | | | Fire Risk | Non-flammable |
| BAL Bluestar Tile adhesive for Walls | Any person or animal coming into contact with the product while it is being used, spills while it is being | 6 | food prepara Dispose of co | Safe with normal use. Cover cuts and broken skin before use. Wear gloves if atopic. Avoid using or storing in drink or food preparation areas. Avoid wiping eyes or mouth with contaminated hands. Change contaminated clothing. Dispose of container and waste fluids responsibly. Do not leave fluid unattended. Keep out of reach of childen or vulnerable adults. | | | | | |
| May cause skin irritation. May cause allergic reaction. | transported or leakages during storage. | | If Skin Contact | Wash affected area thoroughly with soap and water. Take off contaminated clothing and shoes. Do not use solvents and thinners. Seek medical attention if irritation persists. Remove contact lenses. Irrigate copiously with clean, fresh water holding the eyelids apart for at least 10-15 minutes. Seek medical advice if discomfort continues. Move the exposed person to fresh air. Seek medical attention if any discomfort continues. Do not induce vomiting. Rinse mouth with water without swallowing. Seek medical attention IMMEDIATELY. Retain label or container to aid identification. | | | | Acute Health Risk | |
| | | | Eye Contact | | | | | Long-term health risk | Use barrier creams and protective clothing if atopic. |
| | | | Swallowed Exposure | | | | Fire Risk 6 | Non-flammable. Carbon monoxide formed during fire. | |
| Brush Mate Fluid | Any person or animal coming into contact with the product while it is being used, spills while it is being | ming into contact th the product ille it is being used, Ills while it is being nsported or kages during rage. NOT USE WITHOUT KING CARE TO COGMISE THE ZZARDS THIS DOUCT REPRESENTS RESPECT OF NASPORT, STORAGE, | CONSIDER USING AN ALTERNATIVE SAFE PRODUCT. Use only outdoors or in well ventilated room. Wear PPE to avoid contact with skin and eyes. DO NOT USE in properties where children or vulnerable adults have access to. NEVER leave unattended on site. As the fluid and vapour is highly flammable take care to store it away from fire exits and avoid putting it next to heat sources. Do not use near food and drink preparation areas. Do not pour down fluid or waste down drains, into watercourses or onto ground. Storage, Spill Disposal risks 21 Storage, Spill Disposal risks 22 Storage, Spill Disposal | | | | | | |
| DANGER: Very toxic and can prove fatal if swallowed. Flammable liquid and vapour. Causes serious eye damage on contact. Causes seious organ damage with polonged exposure. | transported or leakages during storage. DO NOT USE WITHOUT TAKING CARE TO RECOGNISE THE HAZZARDS THIS PRODUCT REPRESENTS IN RESPECT OF TRANSPORT, STORAGE, USE AND DISPOSAL. | | If Skin Contact | Wash affected area thoroughly with soap and water. Take off contaminated clothing and shoes. Do not use solvents and thinners. Seek medical attention if irritation persists. Remove contact lenses. Irrigate copiously with clean, fresh water holding the eyelids apart for at least 10-15 minutes. Seek medical advice if discomfort continues. | | | Seek Medical Advice | Acute Health Risk | Highly toxic and can cause serios eye damage |
| | | | Eye Contact | | | | √ | Long-term health risk | Long-term use associated with cancer |
| | | | Inhaled | Move the exposed person to fresh air. If breathing stops provide artificial respiration (not mouth to mouth) Seek immediate medical attention. Represents a serious acute health risk that can prove fatal if swallowed. SEEK IMMEDIATE | | ✓ | 25 | and organ damage. Fluid and vapour | |
| | | | Swallowed Exposure | MEDICAL ASSISTANCE. Retain bottle for identification. Intermittant use during process of cleaning brushes. | | v | Fire Risk | inflammable. Burning produces toxic dangerous fumes. | |
| Likelihood | | | | Coverity of Piels | | | | | |
| | | 1 | Severity of Risk | | Calculated Risk | Action Plan | | | |
| Improbable: 0%-5% Unlikely to happen Remote: 5%-35% May occur at sometime | | 2 | | No risk to short-term or long-term health or sustaining personal injury | | 0 - 5 6 - 15 | Low Risk. Safe to use under normal conditions | | |
| Possible: 35%-65% Could occur at sometime | | 3 | | Remote risk to health or sustaining minor injuries treatable by site first aid | | | Safe to use with care, observing extra controls Only under supervision | | |
| | | 4 | | ow risk of personal injury requiring medical attention at A&E Department 10 10 10 10 10 10 10 10 10 1 | | | | | f injury is too high |
| Very probable: 95%- | | 5 | | Moderate risk of personal injury resulting in more than 7 days off work 21 - 25 Do not use as the High risk of life-changing injury, long-term chronic illness, cancer a death | | | | ise as the risk o | i injuly is too liigh |
| MARISCO TEL No: 01202 474001 Date of Review 12-Nov-18 Reviewer Ralph Elliott-King | | | | | | | | t-King | |