COSHH RISK ASSESSMENT BY PRODUCT T										
STORE ALL PRODUCTS SAFELY  NEVER LEAVE PRODUCTS UNATTENDED  KEEP OUT OF REACH FROM CHILDREN & VULNERABLE ADULTS										
At Risk						& vulnerable adults		✓ ✓	Property Environment	
Hazards	Who might be harmed and how	RISK without controls	General controls after first considering if it is possible to <i>eliminate</i> the need to use the product altogether, or if a <i>safer alternative</i> product could be used instead.						Key controls required to ensure safe use, storage, transport and disposal.	
Thistle Harwall Gypsum Building Plaster	Any person or animal coming into contact with the product while it is being used, spills while it is being transported or leakages during storage.	16	mixture. Use parrier creams and wear mask, gloves and safety glasses. Avoid using or storing in drink or food						Store in dry area and prevent dust becoming airborne.	
Danger: Long term breathing in of dust can cause chronic diseases in later life. Skin irritant and can cause serious eye damage.			If	Action to be taken if operative come	s into contact with substa	nce:	Seek Medical Advice	cal Acute Health Risk		
			Skin Contact	Skin Contact Wash affected area thoroughly with soap and water. Remove and wash contaminated clothing and shoes. Seek medical attention if irritation persists.						
			Eye Contact	Remove contact lenses. Irrigate copiously with clean, fresh water holding the eyelids apart for at least 10-15 minutes. Seek immediate medical advice if discomfot continues.  Frequent inhalation of dust over a time increases the risk of developing lung diseases. With acute respiratory distress on exposure, move to fresh air and seek medical attention.			Long-term health risk	Wear PPE to prevent long-term health risks of breathing in dust.		
			Inhaled				6			
			Swallowed	Do not induce vomiting. Rinse mouth with water without swallowing. Seek medical attention IMMEDIATELY. Retain label or container to aid identification.			Fire Risk	Non-flammable		
			Exposure	Comment on likely number of hours or minutes operatives will be exposed to product			1			
Likelihood		Severity of Risk			Calculated Risk	Action Plan				
Improbable: 0%-5% Unlikely to happen		1	No risk to short-term or long-term health or sustaining personal injury			0 - 5	Low Risk. Safe to use under normal conditions			
Remote: 5%-35% May occur at sometime		2	Remote risk to health or sustaining minor injuries treatable by site first aid			6 - 15	Safe to use with care, observing extra controls			
Possible: 35%-65% Could occur at sometime		3	Low risk of personal injury requiring medical attention at A&E Department			16 - 20	Only under supervision			
Probable: 65%-95% Very likely to occur		4	Moderate risk of personal injury resulting in more than 7 days off work			21 - 25	Do not u	use as the risk o	of injury is too high	
Very probable: 95%-100% Almost certain  5 High risk of life-changing injury, long-term chronic illness, cancer & death										
MARISCO TEL No: 01202 474001 Date of Review 31-Oct-18						Reviewer	Ralph Ellíott-Kíng			

Copyright 2015-18 Xaccounts Ltd. All rights reserved